Donors Report













EYE CARE FOR ALL













Cataract Surgery Camp conducted by The Vision Mission Singapore, in collaboration with Trilochan Netralaya in December 2014 at location in Sambalpur, Odisha, India.

Mission Trips' Summary for the Year 2014

Number of free cataract surgeries conducted by The Visiion Mission in collaboration with Trilochan Netralaya in Sambalpur, Odisha.

| Mission Trip | Target | Achieved |
|-------------------------------------|--------|---------------|
| Project Netra February 2014 | 300 | 300 |
| Project Netra 1000 November 2014 | 350 | 350 |
| Project Netra 1000 December 2014 | 350 | 350 This Trip |

Total for Year 2014

1000

TARGET ACHIEVED

EXECUTIVE SUMMARY

Sambalpur is a remote location in the state of Odisha in India. In February 2014, The Vision Mission was involved in a camp in this location to conduct 300 free cataract surgeries across 3 camps. Thus began Project Netra. Following up from our very successful project, we sent another team in November 2014 when we performed 350 more cataract surgeries in addition to setting up optometry training and a tele-ophthlamology service. Our third and last project for 2014 was conducted in December 2014 to conclude a total of 1000 free cataract surgeries for the year. The December project also started training the local team of doctors in glaucoma management.

About The Vision Mission

The Vision Mission is a Singapore-based non-profit organization started by doctors and professionals, with the purpose of providing free eye care to those in need in Southeast and South Asia. We seek to serve as a conduit enabling transnational collaboration of dedicated ophthalmic experts in providing free high quality eye care and surgery to patients in areas of need, with a view to eradicate treatable vision impairment and allow eye care access to all. We wish to set up and operate sustainable eye care programs focusing on treating cataracts in areas of need, in collaboration with local ophthalmologists

About Trilochan Netralaya

Trilochan Netralaya (TN) was founded by Dr Shivaprasad Sahoo. TN and Dr Shivaprasad have worked tirelessly and selflessly over the years in trying to eradicate curable blindness in the region. TN has existing camps in Sambalpur and Kalahandi, and therefore also possesses the methods to bring in people for camps. In TN, The Vision Mission has found an ideal complementary partner for achieving its objective.

About Sambalpur, and the need there

Sambalpur is a remote location in the state of Odisha in India. Odisha (formerly Orissa) is among the poorer states in India. Odisha is home to a large tribal populace, or Adivasis (known officially as Scheduled Tribes in India), and Scheduled Castes. The western districts such as Kalahandi have a majority population of SC/ST. Typically, the districts and its people tend to be the poorest, with very little access to healthcare.

SUMMARY OF ACHIEVEMENT

350

2

\$14,017

Cataract surgeries

Camps

Money Raised/Spent

Surgeries conducted were primarily using the SICS - Small (sutureless) Incision Cataract Surgery technique. In Sambalpur town and at Betty's Ashram near Hirakud.

From donors in Singapore – both individuals and corporate.



MISSION TRIP DETAILS

Following our 2 successful trips in February and November 2014, we aimed to complete our target of 1000 cataract surgeries for the poor in Western Odisha by the third trip on December 2014.

Trip No 1 in February 2014





In February 2014, we conducted 3 camps in Sambalpur and Bhawanipatna (Kalahandi district) in Odisha State in India. We funded and conducted 300 cataract surgeries for the poorest. We also worked on complex cases for which the local doctors wanted second opinions - from various subspecialties such as neuro-ophthalmology, pediatric ophthalmology, cornea, glaucoma, uveitis and retina.

See our Donors Report for February @ http://www.thevisionmission.org/docs/Donors%20Report%201.0%20 (Project%20Netra%202014).pdf

Trip No 2 in November 2014

We had 2 camp sites in Sambalpur between 21-Nov-2014 to 30-Nov-2014. The first location was Betty's Ashram – a quaint and remote facility a little off Sambalpur town. The second location was at TN's hospital in Sambalur. Across the 2 camps, we conducted 350 free cataract surgeries along with helping with many other items.



A team of 3 comprising of Dr Chen Jianping, Avinash Jayaraman and Mohamed Farook made the trip down from Singapore.

See our Donors Report for November @

 $\frac{http://www.thevisionmission.org/docs/Donors\%20Report\%201.0\%20(Project\%20N)}{etra\%201000\%20-\%20Nov2014).pdf}$

This Trip

The main camp site for this trip was at the main institution of Trilochan Netralaya (TN) in Sambalpur town. Over 2 weeks, we funded and conducted 350 cataract surgeries. In total, 1000 cataract surgeries were performed in 2014 for the needy in the region who were blind as a result of cataracts

A team of 3 comprising Adj Assoc Prof Shamira Perera (Shamira), Dr Arun Kumar Narayanaswamy (Arun) and Dr Rupesh Agrawal (Rupesh) made the trip down Singapore. The team arrived on the late night of 14th December 2014 (Sunday) and got to work the next morning. They were in Sambalpur from 15th – 18th December 2014.

The main objectives of this mission trip included the following:

- 1. Conduct 350 cataract surgeries
- 2. Enhance the safety and quality processes of the surgeries performed to even higher standards
- 3. Arranging for ophthalmologists from Singapore to be sent to TN to impart skills and share knowledge with Dr Shivaprasad Sahoo (Shiva) to improve his expertise in glaucoma and general ophthalmological conditions



Glaucoma Training

Patients with suspected glaucoma were screened prior to the TVM team's arrival and scheduled to come on specified days on 15th through 18th December. Approximately 100 patients with glaucoma were assessed and managed. The team systematically evaluated patients with glaucoma along with the TN doctors. This was followed by appropriate selection of the cases for glaucoma surgery or laser procedures under supervision of TVM glaucoma experts, Shamira and Arun. The doctors at Trilochan Netralaya were guided on basic glaucoma assessment

including history taking, slit lamp evaluation, Goldmann applanation tonometry, gonioscopy and stereoscopic disc examination. The patients were then instituted the appropriate treatment for their condition and 10 patients were selected for glaucoma surgery. Some patients also required laser surgery for management of glaucoma. This skill was imparted the TN doctors.



to

Shamira and Arun supervised Shiva's team for the glaucoma surgeries and postoperative management. A total of 6 phacotrabeculectomies and 4 SICS-trabeculectomies were performed with stable postoperative follow up. These patients are still being followed up.

Free Cataract Surgeries and Surgical Process Optimization

350 free cataract surgeries were conducted at TN, Sambalpur through the camps funded by TVM including 100 during the week of December 15-18 and 250 more in the 2 weeks following that.

As a result of the 3 camps in 2014 the TVM donors helped a total of 1000 regain their right to sight. The donors money helped fund not just the surgery, but also the following:

- ✓ Travel costs for bring the patients to the camp, and then back to their village
- ✓ Stay and Accommodation
 - O Given that the villages are a 100 km away, it would not be possible for the patients to go back home and them return for their post-operative checkup. Therefore, facilities need to be in place to ensure they can stay at the camp for at least one night.
 - ✓ Food during their stay at the camp

- ✓ Lenses
- ✓ Cost of nurses and other staff
- ✓ Cost of equipment, medicines

Shiva has established himself to be an excellent cataract surgeon through his



many years of service in the region. While he has an excellent safety record through his previous 60000 or so cataract surgeries, the TVM team also went about optimizing surgical processes such that all procedures were conducted in a safe and sterile manner. The aim was to better improve the quality of care even as we went about serving the needs of a large number of patients.

Tele-Ophthalmology Setup:

Through Tri Netra camera donated by Forus Inc, Bangalore, India, we initiated the set-up of a Tele-Ophthalmology unit. With this, regardless of their location, doctors and technicians will be able to take high definition photographs of a patient's

anterior and posterior segments, and subsequently upload these images onto a cloud server. From there, designated foreign ophthalmologists will receive this report and be able to give their expert opinion. This will enable the TN team in getting an opinion on management of complex patients at any point in time, without having to wait for the next team to come on a mission trip.



Education

Different tutorials were conducted by Dr Rupesh, Dr Arun and Dr Shamira with regards to the management of uveitis and glaucoma. Different critical aspects in management and follow up of glaucoma were discussed and highlighted. The medical record system and also matters related to hospital management were discussed.



General Ophthalmology

The TN team brought back dozens of patients with complex ophthalmic problems for review and management by the TVM doctors. In addition, Rupesh provided his inputs for retina and uveitis patients and also trained the local doctors in the use of ultrasound B scan machine.

A summary of six complex cases as assessed and managed by the TVM volunteer team is attached herewith. Case studies in the following page:



The first clue to this gentleman's condition were the thick hyperopic glasses he wore. Our examination revealed this condition which is a precursor for developing high pressure in the eye and eventual blindness from optic nerve damage (glaucoma).

Technically demanding bilateral laser procedures were performed which were then easily assimilated by Dr Shiva's team.

Finally, the patient was educated about the sequelae of his condition and the extreme difficulties of future cataract and glaucoma surgery.



- The 24 year old young lady had complete loss of vision in one eye and significantly impaired vision in the left eye which was accompanied by redness and mild pain.
- Clinical examination revealed a stuck down pupil and a complicated cataract. Ultrasound B-scan revealed fluid exudation leading to bilateral retinal detachment, characteristic of VKH.
- Left eye peri-ocular steroid was given with oral steroids before planning for complicated cataract surgery in the only eye.



- This gentleman's vision was good on his left side but his right eye was a constant source of pain. It had extremely high pressure inside causing the surface to blister.
- A Gunderson flap was performed to keep him pain free and with a diminished risk of infection which could necessitate removal of the eye.
 This procedure involved using his own ocular tissues to protect the surface.



- This young lady presented with having gradually completely lost the vision in her left eye. She attributed this to an injury from a cow's tail 3 months ago.
- Initial thoughts of a traumatic cause were not corroborated by clinical features. In fact our findings pointed to an compressive lesion in the orbit treat
- A CT scan within 1 hour showed a lesion behind the eye resembling an optic nerve meningioma. She was referred to Neurosurgery.



- This lady had uncontrolled pressure in the eye whilst on the maximal pressure lowering drops and a coexistent white cataract (cloudy lens) in the right eye. This was treated with a Small Incision Cataract Surgery (SICS) and glaucoma surgery with an anti scarring medication (trabeculectomy with MMC).
- The stringent rules about the storage, dilution, application and disposal of antimetabolites were incorporated into the centre's protocols.

 The picture taken the first day after successful surgery portrays a clear
- The picture taken the first day after successful surgery portrays a clea intra-ocular lens replacing the dense cataract and a temporary air hubble



- The young gentleman had long standing loss of vision in both eyes.
 Bilateral retinal detachment was confirmed on a B-scan ultrasound scan as it was not possible to see the back of the eye.
- The patient was advised to undergo vitreoretinal surgery to salvage the better eye with some potential.

The Vision Mission Team from Singapore



Dr. Arun Kumar Narayanaswamy, D.O,
DNB, MMed.

SNEC & Singapore Eye Research Institute

Dr. Arun Kumar Narayanaswamy trained, served and taught at Asia's leading tertiary eye care centre, Sankara Nethralaya since 1996 before moving SNEC and SERI in 2008. He has special interest in complex adult and pediatric glaucoma. He has been involved with outreach programs and charity eye care since the last 18 years and continues to contribute towards this cause whenever the opportunity arises.



Adj Assoc Prof Shamira Perera, MBBS(hons), BSc(hons), FRCOphth

Senior Consultant, Singapore National Eye Centre

Adjunct Assoc Prof Shamira Perera qualified from United Medical and Dental Schools of Guy's and St Thomas's, University of London.He won the Planck prize for Medicine, a Special Trustees award for BSc funding and a distinction in Obstetrics and Gynaecology. In the Singapore Eye Research Institute, Adjunct Assoc Prof Shamira Perera holds a Senior Adjunct Clinician Investigator title and is the Co Head for Bioengineering and Devices.



Dr Rupesh Agrawal, FRCS, FAMS, MMed

Consultant Ophthalmologist, National Healthcare Group Eye Institute, Tan Tock Seng Hospital

Dr Rupesh is a part of th Board of Advisors of The Vision Mission. He has been recipient of many awards and research grants. He was also conferred with Healthcare Humanity Award by President of Singapore in 2011 for his humanitarian and probono projects in remote areas of the world. He also worked briefly at L V Prasad Eye Institute before migrating to Singapore in 2009. Subsequently he is working at Singapore and has been involved in significant translational and basic science research projects.

Special Acknowledgement

TVM is grateful to the Marcus Lim Humanitarian Fund (administered by Singapore National Eye Centre) for funding travel of 2 of our doctors – Shamira & Arun – and our optometrist Mr Mohd Farook (November trip) in addition to funding 350 cataract surgeries toward Project Netra 1000.

PHOTOSPREAD



Dr Shiva operating – Glaucoma surgery under supervision



Dr Shiva and Dr Shamira doing glaucoma assessment



The OT team at Trilochan Netralaya



Dr Rupesh operating: Small Incision cataract surgery



Dr Arun demonstrating Laser Peripheral iridotomy for glaucoma patients



Dr Rupesh, Dr Shamira and Dr Arun (L to R) in Sambalpur.

More photos at:

 $\underline{https://www.facebook.com/the vision mission}$

FUTURE PROJECTS

We have just started developing the subspecialist potential of TN so that more in Western Odisha may be served even more effectively for their ophthalmic needs. Moving forward, Shiva has employed another doctor, Dr Chittaranjan Mishra to help him with the cataract load in the region as he moves to train himself in subspecialist work. TVM will also aim to send Shiva and his team for further glaucoma training in other institutes within India over 2015. We also aim to keep our commitment of at least restoring sight to 1000 needy individuals in the state every year using high safety standards while further augmenting the clinical setup at TN.



THANK YOU FOR MAKING 2014 A SUCCESSFUL YEAR!

LIST OF PATIENTS

Patient names are blanked out for privacy reasons. Please contact us for a full list:

jayant@ / jason@ / avinash@ thevisionmission.org

| | Dota SL | Patient's | MR | | | Pre OP Vision | | m 6 0 | Operated | Post OP Vision | |
|----------------|---------|-----------|-------|-----|-----|---------------|-------|------------------------------|----------|----------------|-------|
| Date | No | Name | No | Age | Sex | RE | LE | Type of Surgery | Eye | 1 Day | 7 Day |
| 15TH DEC'14 | 01 | | F8315 | 66 | M | 1/60 | 6/36 | SICS WITH IOL | RE | 6/24 | 6/9 |
| | 02 | | F8316 | 76 | M | 6/36 | 1/60 | SICS WITH IOL | LE | PL | 6/36 |
| | 03 | | F8317 | 66 | M | 6/60 | PL | SICS WITH IOL | LE | 6/12P | 6/9 |
| | 04 | | F8318 | 66 | F | 5/60 | 5/60 | SICS WITH IOL | RE | 6/9P | 6/6 |
| | 05 | | F8320 | 71 | M | 6/36 | 1/60 | SICS WITH IOL | LE | 6/18 | |
| | 06 | | F8321 | 61 | F | HM | 6/18 | SICS WITH IOL | RE | 6/12P | 6/6 |
| | 07 | | F8322 | 61 | M | HM | 2/60 | SICS WITH IOL | RE | 6/12 | 6/6P |
| | 08 | | F8323 | 51 | M | 6/18P | HM | SICS WITH IOL | LE | 6/24 | 6/12 |
| | 09 | | F8324 | 71 | F | 6/60 | PL | SICS WITH IOL | LE | 6/60 | |
| | 10 | | F8325 | 71 | M | 1/60 | 1/60 | SICS WITH IOL | RE | 6/18 | 6/9 |
| | 11 | | F8326 | 66 | M | 5/60 | HM | SICS WITH IOL | RE | 6/18 | 6/9P |
| | 12 | | F8327 | 71 | M | 5/60 | HM | SICS WITH IOL | RE | 6/18 | 6/6P |
| | 13 | | F8328 | 81 | M | PL | 1/60 | SICS WITH IOL | RE | 6/24 | 6/12 |
| | 14 | | F8329 | 81 | M | 4/60 | 4/60 | SICS WITH IOL | LE | 6/12P | 6/6P |
| | 15 | | F8330 | 71 | M | 5/60 | 6/60 | SICS WITH IOL | RE | 6/18P | 6/9 |
| | 16 | | F8331 | 69 | M | 1/60 | 6/36P | SICS WITH IOL | RE | 6/12P | |
| | 17 | | F8332 | 70 | M | 6/18 | PL | SICS WITH IOL | LE | 6/24 | 6/9P |
| | 18 | | F8333 | 61 | M | 2/60 | 3/60 | SICS WITH IOL | RE | 6/12 | 6/6 |
| | 19 | | F8334 | 61 | M | 1/60 | 6/18P | SICS WITH IOL | RE | 6/18 | 6/9 |
| | 20 | | F8335 | 71 | M | 3/60 | PL | SICS WITH IOL | LE | 3/60 | 6/60 |
| | 21 | | F8336 | 71 | F | 1/60 | 1/60 | SICS WITH IOL | LE | 6/12 | 6/6 |
| | 22 | | F8337 | 56 | F | PL | 6/12 | SICS WITH IOL | RE | 6/24 | |
| | 23 | | F8338 | 81 | M | 1/60 | PL | SICS WITH IOL | LE | 6/24P | 6/12P |
| | 24 | | F8339 | 69 | M | 4/60 | 5/60 | SICS WITH IOL | RE | 6/18P | 6/9P |
| | 25 | | F8340 | 71 | M | 6/36 | 1/60 | SICS WITH IOL | LE | 1/60 | |
| 16TH DEC'14 | 26 | | F8341 | 61 | F | 6/60 | HM | SICS WITH IOL | RE | 6/18 | 6/9P |
| | 27 | | F8342 | 60 | M | 6/18 | HM | PHACO WITH TRABECULECTOMY | RE | 6/9 | 6/6 |
| | 28 | | F8343 | 71 | F | 6/60 | 6/60 | SICS WITH IOL | RE | 6/12P | 6/6P |
| | 29 | | F8344 | 66 | F | 2/60 | 2/60 | SICS WITH IOL | LE | 6/9P | 6/6 |
| | 30 | | F8345 | 69 | F | 3/60 | 3/60 | SICS WITH IOL | LE | 6/12 | 6/6P |
| | 31 | | F8346 | 54 | M | 6/9P | HM | TRABECULECTOMY | RE | 6/18P | 6/24 |
| | 32 | | F8347 | 61 | M | 6/36 | 6/36 | SICS WITH IOL | RE | 6/12 | 6/6P |
| | 33 | | F8348 | 76 | M | 6/36 | 1/60 | SICS WITH IOL | LE | 6/60 | |
| | 34 | | F8349 | 66 | F | 6/60 | HM | SICS WITH IOL | LE | 6/12 | 6/6P |
| | 35 | | F8350 | 66 | M | 4/60 | 4/60 | SICS WITH IOL | LE | 6/18 | 6/9 |
| | 36 | | F8351 | 61 | M | 6/18 | HM | SICS WITH IOL | LE | 6/12P | 6/6P |
| | 37 | | F8352 | 56 | M | 6/12P | PL | SICS WITH IOL | LE | 6/18 | |
| | 38 | | F8353 | 76 | M | 6/24P | PL | SICS WITH IOL | LE | 6/24P | 6/12 |
| | 39 | | F8354 | 71 | F | 2/60 | 6/60 | SICS WITH IOL | RE | 6/18 | 6/9 |
| | 40 | | F8355 | 63 | F | 6/36 | 1/60 | SICS WITH IOL | LE | 6/12P | 6/6P |
| | 41 | | F8356 | 81 | M | 6/60 | 6/60 | SICS WITH IOL | LE | 6/18P | |
| | 42 | | F8357 | 66 | F | 2/60 | 2/60 | SICS WITH IOL | LE | 6/12 | 6/6P |
| | 43 | | F8358 | 81 | M | 6/18 | 3/60 | SICS WITH IOL | LE | 6/12P | 6/9 |
| | 44 | | F8359 | 74 | M | CFC | CFC | TRABECULECTOMY | RE | 1/60 | 1/60 |
| | 45 | | F8360 | 66 | M | PL | 6/60 | SICS WITH IOL | LE | 6/12P | 6/9 |
| | 46 | | F8361 | 81 | M | 2/60 | 2/60 | SICS WITH IOL | RE | 6/18 | |
| 4 500 - | 47 | | F8362 | 71 | F | 6/60 | PL | SICS WITH IOL | LE | 6/18 | 6/6P |
| 17TH DEC'14 | 48 | | F8363 | 69 | M | HM | 6/36 | SICS WITH IOL | RE | 6/12 | 6/6 |
| | 49 | | F8364 | 56 | M | 5/60 | 2/60 | SICS WITH IOL | LE | 6/24 | 6/9P |
| | 50 | | F8365 | 71 | M | HM | 4/60 | SICS WITH IOL | RE | 6/24 | |
| | 51 | | F8366 | 61 | M | HM | 6/24 | SICS WITH IOL | RE | 2/60 | 6/60 |
| | 52 | | F8367 | 66 | M | 4/60 | 6/24P | SICS WITH IOL | RE | 6/18P | 6/9 |

| S54 | 6/6P |
|--|---------------|
| S5 | 2/60 |
| S7 | 6/6P |
| S8 | |
| S9 | 6/9P |
| 60 | 6/12 |
| 61 | 6/6 |
| 62 | 6/9 |
| 63 | 6/6P |
| G4 | 6/9 |
| 65 | 0/9 |
| F8381 71 M 6/00 PL SICS WTH IOL LE 6/24 | 6/18 |
| F8382 | 6/12P |
| F8384 76 F HM 1/60 SICS WITH IOL RE HM 1/60 SICS WITH IOL RE 3/60 70 F8385 63 M 5/60 2/60 SICS WITH IOL RE 3/60 71 F8386 79 M 5/60 2/60 SICS WITH IOL LE 3/60 72 F8387 70 M 2/60 3/60 SICS WITH IOL LE 3/60 73 F8388 61 M 6/60 SICS WITH IOL RE 6/36 6/12 74 F8389 51 F 1/60 CFC SICS WITH IOL LE 6/12P 74 F8389 51 F 1/60 CFC SICS WITH IOL LE 6/12P 75 F8390 41 M 6/36 1/60 SICS WITH IOL LE 6/12P 77 F8392 64 F 6/18 4/60 SICS WITH IOL LE 6/18P 77 F8392 64 F 6/18 4/60 SICS WITH IOL RE 6/9P 77 F8393 64 F 2/60 4/60 SICS WITH IOL RE 6/18P 78 F8393 65 F 6/18P 6/36P SICS WITH IOL LE 6/18P 79 F8395 66 F 6/18P 1/60 SICS WITH IOL LE 6/24P 88 F8396 65 M 5/60 PL SICS WITH IOL LE 6/36P SICS WITH IOL | 6/60 |
| 70 | 6/12P |
| 71 | 1/60 |
| 72 | 5/60 |
| 73 | 6/60 |
| 74 | |
| 75 | 6/9P |
| 76 | 6/6P |
| 77 | 6.16 |
| 78 | 6/6 6/12 |
| Page | 6/12 |
| R80 | 6/9 |
| S1 | 6/12P |
| Record R | |
| S3 | 6/9 |
| 18TH B6 | 6/6P |
| 18TH DEC 14 86 | 6/12 |
| DEC'14 86 F8402 51 F | 6/12P |
| DEC'14 87 | 2/60 |
| 89 | 6/12P |
| 90 F8406 66 F 5/60 PL SICS WITH IOL LE 6/24P 91 F8407 74 F HM 4/60 SICS WITH IOL RE 6/18P 92 F8408 51 F 1/60 HM SICS WITH IOL LE 6/12 93 F8409 73 F 5/60 5/60 SICS WITH IOL LE 6/12 94 F8410 52 F 2/60 1/60 SICS WITH IOL LE 6/12 95 F8411 71 F PL 4/60 SICS WITH IOL RE 6/24 96 F8412 61 F PL 1/60 SICS WITH IOL RE 6/24 97 F8413 76 F 5/60 5/60 SICS WITH IOL RE 6/24 98 F8414 61 F 6/60 HM SICS WITH IOL RE 6/24 98 F8414 61 F 6/60 HM SICS WITH IOL LE 6/18 99 F8415 66 F 6/60 6/60 SICS WITH IOL LE 6/18 100 F8416 76 F 2/60 4/60 SICS WITH IOL RE 6/36 101 F8417 71 F 1/60 PL SICS WITH IOL RE 6/36 102 F8418 66 F 3/60 4/60 SICS WITH IOL RE 6/18 103 F8419 71 F 5/60 6/60 SICS WITH IOL RE 6/18 104 F8420 73 F 3/60 3/60 SICS WITH IOL RE 6/18 105 F8421 66 F 1/60 2/60 SICS WITH IOL RE 6/18 106 F8422 71 F HM 1/60 SICS WITH IOL RE 6/18 108 F8424 71 F PL 6/60 SICS WITH IOL RE 6/18 109 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18 109 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18 100 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18 100 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18 100 F8426 66 M 1/60 1/60 SICS WITH IOL RE 6/18 100 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18 100 F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18 100 F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18 100 F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18 100 F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18 100 F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18 100 F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18 | 6/6P |
| 91 | 6/9 |
| 92 | 6/12P 6/9P |
| 93 | 6/6P |
| 94 | 6/9 |
| 95 | 6/9 |
| 97 F8413 76 F 5/60 5/60 SICS WITH IOL RE 6/24 98 F8414 61 F 6/60 HM SICS WITH IOL LE 6/18 99 F8415 66 F 6/60 6/60 SICS WITH IOL LE 6/18 100 F8416 76 F 2/60 4/60 SICS WITH IOL RE 6/36 101 F8417 71 F 1/60 PL SICS WITH IOL LE 6/24 102 F8418 66 F 3/60 4/60 SICS WITH IOL RE 6/18 103 F8419 71 F 5/60 6/60 SICS WITH IOL RE 6/18 104 F8420 73 F 3/60 3/60 SICS WITH IOL RE 6/18 105 F8421 66 F 1/60 2/60 SICS WITH IOL RE 6/18 106 F8422 71 F HM 1/60 SICS WITH IOL RE 6/36 107 F8423 69 F 6/18P 6/18 SICS WITH IOL RE 6/18 108 F8424 71 F PL 6/60 SICS WITH IOL RE 6/18 109 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18 109 F8426 66 M 1/60 1/60 SICS WITH IOL RE 6/18 | 6/12 |
| 98 | |
| 99 F8415 66 F 6/60 6/60 SICS WITH IOL LE 6/18 100 F8416 76 F 2/60 4/60 SICS WITH IOL RE 6/36 101 F8417 71 F 1/60 PL SICS WITH IOL LE 6/24 102 F8418 66 F 3/60 4/60 SICS WITH IOL RE 6/18 103 F8419 71 F 5/60 6/60 SICS WITH IOL RE 6/18P 104 F8420 73 F 3/60 3/60 SICS WITH IOL RE 6/18 105 F8421 66 F 1/60 2/60 SICS WITH IOL RE 6/18 106 F8422 71 F HM 1/60 SICS WITH IOL RE 6/36P 107 F8423 69 F 6/18P 6/18 SICS WITH IOL RE 6/18 108 F8424 71 | 6/12P |
| 100 F8416 76 F 2/60 4/60 SICS WITH IOL RE 6/36 | 6/9 |
| 101 F8417 71 F 1/60 PL SICS WITH IOL LE 6/24 F8418 66 F 3/60 4/60 SICS WITH IOL RE 6/18 F8419 71 F 5/60 6/60 SICS WITH IOL RE 6/18 F8420 73 F 3/60 3/60 SICS WITH IOL RE 6/18 F8421 66 F 1/60 2/60 SICS WITH IOL RE 6/18 F8422 71 F HM 1/60 SICS WITH IOL RE 6/36P F8423 69 F 6/18P 6/18 SICS WITH IOL RE 6/18 F8424 71 F PL 6/60 SICS WITH IOL RE 6/18 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18 F8426 66 M 1/60 1/60 SICS WITH IOL RE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL RE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1/60 | 6/9 |
| 102 F8418 66 F 3/60 4/60 SICS WITH IOL RE 6/18 F8419 71 F 5/60 6/60 SICS WITH IOL RE 6/18P F8420 73 F 3/60 3/60 SICS WITH IOL RE 6/18P F8421 66 F 1/60 2/60 SICS WITH IOL RE 6/18 F8422 71 F HM 1/60 SICS WITH IOL RE 6/36P F8423 69 F 6/18P 6/18 SICS WITH IOL RE 6/18 F8424 71 F PL 6/60 SICS WITH IOL RE 6/18 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL RE 6/18P F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P F8426 66 M 1/60 1 | 6/18 |
| 103 F8419 71 F 5/60 6/60 SICS WITH IOL RE 6/18P 104 F8420 73 F 3/60 3/60 SICS WITH IOL RE 6/18 105 F8421 66 F 1/60 2/60 SICS WITH IOL RE 6/18 106 F8422 71 F HM 1/60 SICS WITH IOL RE 6/36P 107 F8423 69 F 6/18P 6/18 SICS WITH IOL RE 6/18 108 F8424 71 F PL 6/60 SICS WITH IOL RE 6/18 109 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18P 110 F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P 110 F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P 110 F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18P 104 105 105 105 | 6/12P |
| 104 | 6/9P 6/9P |
| 105 F8421 66 F 1/60 2/60 SICS WITH IOL RE 6/18 106 F8422 71 F HM 1/60 SICS WITH IOL RE 6/36P 107 F8423 69 F 6/18P 6/18 SICS WITH IOL RE 6/18 108 F8424 71 F PL 6/60 SICS WITH IOL RE 6/18 109 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18P 110 F8426 66 M 1/60 SICS WITH IOL LE 6/18 | 0/25 |
| 106 F8422 71 F HM 1/60 SICS WITH IOL RE 6/36P 107 F8423 69 F 6/18P 6/18 SICS WITH IOL RE 6/18 108 F8424 71 F PL 6/60 SICS WITH IOL RE 6/18 109 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18P 110 F8426 66 M 1/60 SICS WITH IOL LE 6/18 | |
| 107 F8423 69 F 6/18P 6/18 SICS WITH IOL RE 6/18 108 F8424 71 F PL 6/60 SICS WITH IOL RE 6/18 109 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18P 110 F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18 | 6/18 |
| 108 F8424 71 F PL 6/60 SICS WITH IOL RE 6/18 109 F8425 71 F 1/60 2/60 SICS WITH IOL RE 6/18P 110 F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18 | |
| 110 F8426 66 M 1/60 1/60 SICS WITH IOL LE 6/18 | 6/6P |
| | 6/9P |
| | 6/12 |
| 111 F8427 66 M HM 6/12 SICS WITH IOL RE 6/12P | |
| 112 F8428 71 M 6/12 PL SICS WITH IOL LE 1/60 | 5/60 |
| 113 F8429 71 M 6/18 4/60 SICS WITH IOL LE 6/12 | 6/6 |
| 114 F8430 56 F 6/12 6/24 SICS WITH IOL LE 6/9 115 F8431 71 M 6/24P 1/60 SICS WITH IOL LE 6/12 | 6/6D |
| 115 F8431 71 M 6/24P 1/60 SICS WITH IOL LE 6/12 116 F8432 61 M 3/60 3/60 SICS WITH IOL LE 6/18 | 6/6P 6/9 |
| 110 F8432 61 M 3/60 3/60 SICS WITH IOL LE 6/18 117 F8433 56 M 6/12 PL SICS WITH IOL LE 6/12 | 0/9 |
| 117 F8433 30 M 0/12 FE SICS WITH IOL LE 6/60 | 6/18 |
| 119 F8435 61 M 1/60 6/12 SICS WITH IOL RE 6/24 | 6/9P |
| 120 F8436 61 M 4/60 4/60 SICS WITH IOL LE 6/18 | 6/6 |

| l | 121 | l | F8437 | 69 | M | 1/60 | HM | SICS WITH IOL | LE | 6/18 | l |
|--------|-----|---|-------|----|---|----------|-------|--|----|-------|---------------------------------------|
| | 122 | | F8438 | 69 | M | 3/60 | 3/60 | SICS WITH IOL | LE | 6/24 | 6/12P |
| | 123 | | F8439 | 71 | M | 5/60 | 5/60 | SICS WITH IOL | LE | 6/18 | 6/9 |
| | 124 | | F8440 | 71 | M | 2/60 | 2/60 | SICS WITH IOL | LE | 6/18 | 6/9P |
| | 125 | | F8441 | 66 | M | 3/60 | 3/60 | SICS WITH IOL | LE | 6/24 | 0/ 91 |
| | 126 | | F8442 | 71 | M | 6/60 | PL | SICS WITH IOL | LE | 6/36 | 6/18P |
| | 127 | | F8443 | 81 | M | 6/24 | 6/18 | SICS WITH IOL | RE | 6/9P | 6/6P |
| | 128 | | F8444 | 76 | M | 6/36 | 6/18P | SICS WITH IOL | LE | 6/24 | 6/12P |
| 22ND | | | | | | <u> </u> | , | | | , | 0/121 |
| DEC'14 | 129 | | F8445 | 63 | F | 4/60 | 1/60 | SICS WITH IOL | LE | HM | |
| | 130 | | F8446 | 64 | F | 3/60 | 4/60 | SICS WITH IOL | RE | 6/12P | 6/6P |
| | 131 | | F8447 | 66 | F | 6/36 | 2/60 | SICS WITH IOL | LE | 6/12P | |
| | 132 | | F8448 | 63 | F | 4/60 | 2/60 | SICS WITH IOL | LE | 6/18 | |
| | 133 | | F8449 | 76 | F | 6/18P | PL | SICS WITH IOL | LE | 6/18P | 6/9P |
| | 134 | | F8450 | 66 | F | HM | 6/18 | SICS WITH IOL | RE | 6/24 | 6/12P |
| | 135 | | F8451 | 61 | F | 6/12 | 5/60 | SICS WITH IOL | LE | 6/12 | 6/6P |
| | 136 | | F8452 | 62 | M | 3/60 | 1/60 | SICS WITH IOL | LE | 6/24P | 6/12 |
| | 137 | | F8453 | 68 | M | 4/60 | 4/60 | SICS WITH IOL | RE | 6/36 | 6/18P |
| | 138 | | F8454 | 71 | M | 6/12 | 6/60 | SICS WITH IOL | LE | 6/18 | |
| | 139 | | F8455 | 68 | M | 4/60 | 4/60 | SICS WITH IOL | RE | 6/36 | |
| | 140 | | F8456 | 81 | M | 4/60 | HM | SICS WITH IOL | LE | 6/12P | 6/6P |
| | 141 | | F8457 | 66 | F | 6/36P | 1/60 | SICS WITH IOL | LE | 6/36 | 6/12P |
| | 142 | | F8458 | 46 | F | 4/60 | 4/60 | SICS WITH IOL | LE | 6/9P | 6/6P |
| | 143 | | F8459 | 61 | F | 1/60 | 6/36 | SICS WITH IOL | RE | 6/24P | , , , , , , , , , , , , , , , , , , , |
| | 144 | | F8460 | 71 | M | 3/60 | 4/60 | SICS WITH IOL | RE | 6/18 | 6/9 |
| | 145 | | F8461 | 66 | M | 6/9P | 2/60 | SICS WITH IOL | LE | 6/12 | 6/6P |
| | 146 | | F8462 | 66 | M | 1/60 | 6/36P | SICS WITH IOL | LE | 6/60 | 6/18 |
| | 147 | | F8463 | 69 | M | 6/18 | HM | SICS WITH IOL | LE | 6/18 | , - |
| | 148 | | F8464 | 69 | F | 1/60 | 6/36 | SICS WITH IOL | RE | 6/60 | 6/12P |
| | 149 | | F8465 | 81 | F | 2/60 | 2/60 | SICS WITH IOL | RE | 6/9P | 6/6 |
| | 150 | | F8466 | 95 | M | 6/36 | PL | SICS WITH IOL | LE | 6/36P | 6/12P |
| | 151 | | F8467 | 56 | M | 6/12 | 3/60 | SICS WITH IOL | LE | 6/18P | 6/9 |
| | 152 | | F8468 | 66 | M | 2/60 | 6/12 | SICS WITH IOL | RE | 6/18P | 6/6P |
| | 153 | | F8469 | 69 | M | 2/60 | 1/60 | SICS WITH IOL | LE | 6/36P | |
| | 154 | | F8470 | 61 | M | 1/60 | 6/18P | SICS WITH IOL | RE | 6/12P | 6/6P |
| | 155 | | F8471 | 59 | M | 1/60 | 6/9P | SICS WITH IOL | RE | 6/12P | 6/6 |
| | 156 | | F8472 | 75 | M | 6/24 | 1/60 | SICS WITH IOL | LE | 6/24 | 6/9 |
| | 157 | | F8473 | 68 | M | 6/18 | 1/60 | APHAKIA | LE | 1/60 | 0/ 5 |
| | 158 | | F8474 | 65 | M | 6/12 | 4/60 | SICS WITH IOL | LE | 6/36 | 6/9 |
| | 159 | | F8475 | 81 | M | 6/18 | 2/60 | SICS WITH IOL | LE | 6/18 | 6/9P |
| | 160 | | F8476 | 63 | M | 4/60 | 2/60 | SICS WITH IOL | LE | 6/18P | 6/12 |
| | 161 | | F8477 | 66 | M | 5/60 | 3/60 | SICS WITH IOL | RE | 6/24P | 0/12 |
| | 162 | | F8478 | 68 | M | 4/60 | 6/36P | SICS WITH IOL | RE | 6/18 | 6/9 |
| | 163 | | F8479 | 71 | F | PL | 6/18P | SICS WITH IOL | RE | 6/36P | 0/ 5 |
| | 164 | | F8480 | 66 | F | HM | 4/60 | SICS WITH IOL | RE | 6/18P | 6/9P |
| | 165 | | F8481 | 61 | F | 3/60 | 6/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL | RE | 6/12 | 0/ 31 |
| | 166 | | F8482 | 63 | F | 2/60 | 5/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL | RE | 6/9P | 6/6 |
| | 167 | | F8483 | 71 | M | HM | 6/9P | SICS WITH IOL | RE | 6/36 | 6/12 |
| | 168 | | F8484 | 81 | F | 4/60 | HM | SICS WITH IOL | LE | 6/18 | |
| | 169 | | F8485 | 51 | F | CFC | CFC | SICS WITH IOL | LE | 6/12P | |
| | 170 | | F8486 | 61 | F | PL | 6/18P | SICS WITH IOL | RE | 6/12P | |
| | 171 | | F8487 | 51 | F | 6/18P | 6/12 | SICS WITH IOL | RE | 6/9 | 6/6P |
| | 172 | | F8488 | 71 | F | HM | 5/60 | SICS WITH IOL | RE | 6/18 | 6/9 |
| | 173 | | F8489 | 57 | F | НМ | 6/18 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL | RE | 6/12 | |
| | 174 | | F8490 | 62 | F | 5/60 | 3/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL | LE | 6/12 | 6/9 |
| | 175 | | F8491 | 76 | F | 5/60 | 5/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL | RE | 6/12 | 6/6P |
| | 176 | | F8492 | 69 | F | 5/60 | PL | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL | LE | 6/36P | 6/18 |
| | 177 | | F8493 | 61 | F | 1/60 | 1/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL | LE | 6/36 | 6/12P |

| | 178 | | F8494 | 71 | F | 4/60 | 4/60 | PHACO WITH INDIAN HYDROPHILIC | LE | 6/24P | |
|--|--|---|---|--|---|---|--|--|--|--|--|
| | 170 | | DO 405 | | | 777.6 | 6 /10P | FOLDABLE IOL | D.D. | 6.106 | 6 (OD |
| 179 | | | F8495 | 71 | F | HM | 6/12P | SICS WITH IOL | RE | 6/36 | 6/9P |
| | 180 | | F8496 | 61 | F | 1/60 | PL | SICS WITH IOL | RE | 6/18P | 6/9P |
| | 181 | | F8497 | 69 | F | 6/60 | 5/60 | SICS WITH IOL | LE | 6/12P | |
| | 182 | | F8498 | 69 | F | 6/36 | 4/60 | SICS WITH IOL | LE | 6/9 | 6/6 |
| | 183 | | F8499 | 71 | M | PL | 1/60 | SICS WITH IOL | LE | 6/36 | 6/12 |
| | 184 | | F8500 | 69 | F | PL | 1/60 | SICS WITH IOL | RE | 6/36 | 6/18 |
| | 185 | | F8501 | 48 | F | 6/12P | HM | SICS WITH IOL | LE | 6/18P | 6/9 |
| | 186 | | F8502 | 66 | F | 4/60 | 5/60 | SICS WITH IOL | RE | 6/24 | 6/12P |
| | 187 | | F8503 | 66 | M | HM | 5/60 | SICS WITH IOL | RE | HM | 1/60 |
| | 188 | | F8504 | 71 | M | 1/60 | 1/60 | SICS WITH IOL | RE | 6/36 | |
| | 189 | | F8506 | 76 | M | 5/60 | 5/60 | SICS WITH IOL | RE | 6/24P | 6/9 |
| | 190 | | F8507 | 76 | M | 2/60 | 2/60 | SICS WITH IOL | LE | 6/60 | 6/18 |
| | 191 | | F8508 | 70 | M | 6/18 | 2/60 | SICS WITH IOL | LE | 6/24P | |
| | 192 | | F8509 | 71 | M | HM | HM | SICS WITH IOL | RE | HM | 2/60 |
| | 193 | | F8510 | 71 | M | 5/60 | 5/60 | SICS WITH IOL | RE | 6/18 | 6/9 |
| | 194 | | F8511 | 71 | M | 6/60 | 6/60 | SICS WITH IOL | RE | 6/18 | 6/9 |
| | 195 | | F8512 | 69 | M | 3/60 | 3/60 | SICS WITH IOL | RE | 6/18 | - / - |
| | 196 | | F8513 | 61 | M | 6/60 | 6/60 | SICS WITH IOL | RE | 6/9P | 6/6 |
| | 197 | | F8514 | 61 | M | 2,30 | 2/60 | SICS WITH IOL | LE | 6/12 | 6/6P |
| 1 | 198 | | F8515 | 71 | M | 6/24 | 5/60 | SICS WITH IOL | LE | 6/18 | 5,01 |
| | 199 | | F8516 | 66 | M | 3/60 | 6/36 | SICS WITH IOL | RE | 6/18 | 6/9P |
| 1 | 200 | | F8517 | 61 | M | 5/60 | HM | SICS WITH IOL | LE | 6/24 | 6/12 |
| - | 200 | | F8517 | 71 | M | 6/18 | PL | SICS WITH IOL | LE | 6/18 | 0/14 |
| | | - | | | | | | | | - | 6/10D |
| | 202 | | F8519 | 81 | M | 5/60 | 3/60 | SICS WITH IOL | LE | 6/24 | 6/12P |
| | 203 | | F8520 | 71 | M | 5/60 | PL | SICS WITH IOL | LE | 6/36 | 6/12 |
| | 204 | | F8521 | 66 | M | 2/60 | 6/24 | SICS WITH IOL | RE | 6/24P | 6/12P |
| | 205 | | F8522 | 13 | M | 6/18 | 6/18 | SICS WITH IOL | RE | 6/9 | 6/6P |
| | 206 | | F8523 | 69 | M | 2/60 | 3/60 | SICS WITH IOL | RE | 6/18 | |
| | 207 | | F8524 | 71 | M | 6/24P | 3/60 | SICS WITH IOL | LE | 6/18 | 6/9P |
| | 208 | | F8525 | 71 | M | 5/60 | 5/60 | SICS WITH IOL | RE | 6/12 | |
| | 209 | | F8526 | 66 | M | 5/60 | 3/60 | SICS WITH IOL | LE | 6/36 | 6/12P |
| | 210 | | F8527 | 81 | M | 5/60 | 3/60 | SICS WITH IOL | LE | 6/18 | 6/9 |
| | 211 | | F8528 | 79 | M | 1/60 | 1/60 | SICS WITH IOL | LE | 6/24 | 6/12 |
| | 212 | | F8529 | 76 | M | 2/60 | HM | SICS WITH IOL | LE | 6/24 | 6/12 |
| | 213 | | F8530 | 77 | M | 5/60 | 3/60 | SICS WITH IOL | LE | 6/24 | 6/12 |
| | 214 | | F8531 | 61 | F | 6/24P | HM | SICS WITH IOL | LE | 6/18 | |
| 23RD | 215 | | F8532 | 61 | F | PL | 6/10 | SICS WITH IOL | RE | 6126 | 6/10D |
| DEC'14 | 213 | | F0332 | 01 | Г | PL | 6/18 | SICS WITH IOL | KE | 6/36 | 6/12P |
| | 216 | | F8533 | 61 | F | | PL | SICS WITH IOL | LE | 6/9 | 6/6P |
| | 217 | | F8534 | 66 | F | 3/60 | 4/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL | RE | 6/18P | 6/9P |
| | 218 | | F8535 | 71 | M | 6/12 | HM | SICS WITH IOL | LE | 6/18P | 6/9P |
| | 219 | | F8536 | 66 | F | 6/60 | 6/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL | RE | 6/12P | 6/6P |
| | 220 | | F8537 | 64 | F | 3/60 | 4/60 | PHACO WITH INDIAN HYDROPHILIC | AN RE | 6/18 | 6/9P |
| | | | | | | | | FOLDABLE IOL | | | |
| | 221 | | F8538 | 63 | F | 4/60 | 5/60 | FOLDABLE IOL PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL | RE | 6/18 | 6/9P |
| | 221 | | F8539 | 63 66 | F F | 4/60 3/60 | 5/60 3/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE RE | 6/18 6/18P | 6/9P 6/9 |
| | | | | | | , | , | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL | | , | , |
| | 222 | | F8539 | 66 | F | 3/60 | 3/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE | 6/18P | 6/9 |
| | 222 223 | | F8539 F8540 | 66 66 | F F | 3/60 4/60 | 3/60 5/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL SICS WITH IOL | RE RE | 6/18P 6/36 | 6/9 |
| | 222 223 224 | | F8539 F8540 F8541 | 66 66 61 | F F F | 3/60 4/60 PL | 3/60 5/60 6/24P | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL SICS WITH IOL SICS WITH IOL | RE RE RE | 6/18P 6/36 6/18 | 6/9 6/12 |
| | 222 223 224 225 | | F8539 F8540 F8541 F8542 | 66 66 61 81 | F F F M | 3/60 4/60 PL 2/60 | 3/60 5/60 6/24P 5/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL SICS WITH IOL SICS WITH IOL SICS WITH IOL | RE RE RE RE | 6/18P 6/36 6/18 6/12P | 6/9 6/12 6/6P |
| | 222 223 224 225 226 | | F8539 F8540 F8541 F8542 F8543 | 66 66 61 81 66 | F F F M | 3/60 4/60 PL 2/60 6/60 | 3/60 5/60 6/24P 5/60 6/36 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE RE RE RE RE | 6/18P 6/36 6/18 6/12P 6/18 | 6/9 6/12 6/6P 6/9P |
| | 222 223 224 225 226 227 | | F8539 F8540 F8541 F8542 F8543 F8544 F8545 | 66 66 61 81 66 66 | F F M F M | 3/60 4/60 PL 2/60 6/60 CFC PL | 3/60 5/60 6/24P 5/60 6/36 6/36 5/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE RE RE RE RE RE RE RE | 6/18P 6/36 6/18 6/12P 6/18 6/12P 6/12 | 6/9 6/12 6/6P 6/9P 6/6P |
| | 222 223 224 225 226 227 228 229 | | F8539 F8540 F8541 F8542 F8543 F8544 F8545 F8546 | 66 66 61 81 66 66 69 | F F M F M M M | 3/60 4/60 PL 2/60 6/60 CFC PL PL | 3/60 5/60 6/24P 5/60 6/36 6/36 5/60 6/18 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE | 6/18P 6/36 6/18 6/12P 6/18 6/12P 6/12 6/36 | 6/9 6/12 6/6P 6/6P 6/6P |
| | 222 223 224 225 226 227 228 229 230 | | F8539 F8540 F8541 F8542 F8543 F8544 F8545 F8546 F8547 | 66 66 61 81 66 66 69 61 | F F M F M M M | 3/60 4/60 PL 2/60 6/60 CFC PL PL 6/36 | 3/60 5/60 6/24P 5/60 6/36 6/36 5/60 6/18 6/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE RE RE RE RE RE RE RE RE LE | 6/18P 6/36 6/18 6/12P 6/18 6/12P 6/12 6/36 6/18 | 6/9 6/12 6/6P 6/6P 6/6P 6/6 |
| | 222 223 224 225 226 227 228 229 230 231 | | F8539 F8540 F8541 F8542 F8543 F8544 F8545 F8546 F8547 F8548 | 66 66 61 81 66 66 69 61 61 73 | F F M F M M M M M | 3/60 4/60 PL 2/60 6/60 CFC PL PL 6/36 2/60 | 3/60 5/60 6/24P 5/60 6/36 6/36 5/60 6/18 6/60 3/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE RE RE RE RE RE RE LE RE | 6/18P 6/36 6/18 6/12P 6/18 6/12P 6/12 6/36 6/18 6/12 | 6/9 6/12 6/6P 6/6P 6/6P 6/6P 6/6P |
| | 222 223 224 225 226 227 228 229 230 231 232 | | F8539 F8540 F8541 F8542 F8543 F8544 F8545 F8546 F8547 F8548 F8549 | 66 66 61 81 66 66 69 61 61 73 66 | F F M F M M F M M M M M | 3/60 4/60 PL 2/60 6/60 CFC PL PL 6/36 2/60 6/18 | 3/60 5/60 6/24P 5/60 6/36 6/36 5/60 6/18 6/60 3/60 5/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE LE RE | 6/18P 6/36 6/18 6/12P 6/18 6/12P 6/12 6/36 6/18 6/12 6/12P | 6/9 6/12 6/6P 6/6P 6/6P 6/6 6/9P 6/6P 6/6P |
| | 222 223 224 225 226 227 228 229 230 231 232 | | F8539 F8540 F8541 F8542 F8543 F8544 F8545 F8546 F8547 F8548 F8549 F8550 | 66 66 61 81 66 66 69 61 61 73 66 | F F M F M M M M M M M M M M M M M | 3/60 4/60 PL 2/60 6/60 CFC PL PL 6/36 2/60 6/18 3/60 | 3/60 5/60 6/24P 5/60 6/36 6/36 5/60 6/18 6/60 3/60 5/60 6/18P | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE LE RE | 6/18P 6/36 6/18 6/12P 6/18 6/12P 6/12 6/36 6/18 6/12 6/12P 6/12P | 6/9 6/12 6/6P 6/6P 6/6P 6/6P 6/6P |
| | 222 223 224 225 226 227 228 229 230 231 232 233 234 | | F8539 F8540 F8541 F8542 F8543 F8544 F8545 F8546 F8547 F8548 F8549 F8550 F8551 | 66 66 61 81 66 66 69 61 61 73 66 67 | F F M M M M M M M M M M M M | 3/60 4/60 PL 2/60 6/60 CFC PL PL 6/36 2/60 6/18 3/60 4/60 | 3/60 5/60 6/24P 5/60 6/36 6/36 5/60 6/18 6/60 3/60 5/60 6/18P 3/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE RE RE RE RE RE RE RE LE RE LE RE | 6/18P 6/36 6/18 6/12P 6/18 6/12P 6/12 6/36 6/18 6/12 6/12P 6/12P 6/12P | 6/9 6/12 6/6P 6/9P 6/6P 6/6 6/6P 6/6P 6/6P 6/6P |
| | 222 223 224 225 226 227 228 229 230 231 232 233 234 235 | | F8539 F8540 F8541 F8542 F8543 F8544 F8545 F8546 F8547 F8548 F8549 F8550 F8551 F8552 | 66 66 61 81 66 66 69 61 61 73 66 67 91 | F F M F M M M M M F M M F M F F M F F M F M F M F F M F M F F M F M F M F M F M F M F M F M M F M M F M M F M M M F M M M F M M M F M M M M F M M M M F M M M M M F M | 3/60 4/60 PL 2/60 6/60 CFC PL 6/36 2/60 6/18 3/60 4/60 1/60 | 3/60 5/60 6/24P 5/60 6/36 6/36 5/60 6/18 6/60 3/60 5/60 6/18P 3/60 2/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE RE RE RE RE RE RE RE LE RE LE RE LE RE | 6/18P 6/36 6/18 6/12P 6/18 6/12P 6/12P 6/36 6/18 6/12P 6/12P 6/12P 6/24 6/12 | 6/9 6/12 6/6P 6/6P 6/6P 6/6 6/9P 6/6P 6/6P |
| | 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 | | F8539 F8540 F8541 F8542 F8543 F8544 F8545 F8546 F8547 F8548 F8549 F8550 F8551 F8552 F8553 | 66 66 61 81 66 66 69 61 61 73 66 67 91 71 66 | F F M F M M M M M F M M F F F F F F F F | 3/60 4/60 PL 2/60 6/60 CFC PL 6/36 2/60 6/18 3/60 4/60 1/60 5/60 | 3/60 5/60 6/24P 5/60 6/36 6/36 5/60 6/18 6/60 3/60 5/60 6/18P 3/60 2/60 3/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE RE RE RE RE RE RE RE LE RE LE RE LE RE LE RE | 6/18P 6/36 6/18 6/12P 6/18 6/12P 6/12 6/36 6/18 6/12P 6/12P 6/12P 6/24 6/12 | 6/9 6/12 6/6P 6/6P 6/6P 6/6P 6/6P 6/6P 6/6P |
| | 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 | | F8539 F8540 F8541 F8542 F8543 F8544 F8545 F8546 F8547 F85548 F8550 F8551 F8552 F8553 F8554 | 66 66 61 81 66 69 61 61 73 66 67 91 71 66 | F F M F M M M M M F M F F F F F F | 3/60 4/60 PL 2/60 6/60 CFC PL PL 6/36 2/60 6/18 3/60 4/60 1/60 5/60 3/60 | 3/60 5/60 6/24P 5/60 6/36 6/36 5/60 6/18 6/60 3/60 5/60 6/18P 3/60 2/60 3/60 2/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE RE RE RE RE RE RE RE LE LE RE LE RE LE LE LE LE | 6/18P 6/36 6/18 6/12P 6/18 6/12P 6/12 6/36 6/18 6/12 6/12P 6/12P 6/24 6/12 6/24 6/18 | 6/9 6/12 6/6P 6/6P 6/6P 6/6P 6/6P 6/6P 6/6P 6/6 |
| | 222 223 224 225 226 227 228 229 230 231 231 232 233 234 235 236 237 238 | | F8539 F8540 F8541 F8542 F8543 F8544 F8545 F8546 F8547 F85549 F8550 F8551 F8552 F8553 F8554 F8555 | 66 66 61 81 66 69 61 61 73 66 67 91 71 66 | F F M F M M M M M F M F F F F F F F F | 3/60 4/60 PL 2/60 6/60 CFC PL PL 6/36 2/60 6/18 3/60 4/60 1/60 5/60 3/60 | 3/60 5/60 6/24P 5/60 6/36 6/36 5/60 6/18 6/60 3/60 5/60 6/18P 3/60 2/60 3/60 2/60 2/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE RE RE RE RE RE RE LE RE LE RE LE RE LE RE | 6/18P 6/36 6/18 6/12P 6/18 6/12P 6/12 6/36 6/18 6/12 6/12P 6/12P 6/12P 6/24 6/12 6/24 6/18 | 6/9 6/12 6/6P 6/6P 6/6P 6/6P 6/6P 6/6P 6/6P 6/6 |
| | 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 | | F8539 F8540 F8541 F8542 F8543 F8544 F8545 F8546 F8547 F85548 F8550 F8551 F8552 F8553 F8554 | 66 66 61 81 66 69 61 61 73 66 67 91 71 66 | F F M F M M M M M F M F F F F F F | 3/60 4/60 PL 2/60 6/60 CFC PL PL 6/36 2/60 6/18 3/60 4/60 1/60 5/60 3/60 | 3/60 5/60 6/24P 5/60 6/36 6/36 5/60 6/18 6/60 3/60 5/60 6/18P 3/60 2/60 3/60 2/60 | PHACO WITH INDIAN HYDROPHILIC FOLDABLE IOL SICS WITH IOL | RE RE RE RE RE RE RE LE LE RE LE RE LE LE LE | 6/18P 6/36 6/18 6/12P 6/18 6/12P 6/12 6/36 6/18 6/12 6/12P 6/12P 6/24 6/12 6/24 6/18 | 6/9 6/12 6/6P 6/6P 6/6P 6/6P 6/6P 6/6P 6/6P 6/6 |

| 1 1 1 | 1 | 1 | ı | 1 | ı | | ı | | |
|--------------------------|---|----------------------------|-----------------------|-------------------------------|----------------------------|---|----------------------|-----------------------------|---------------------|
| 241 | 10000 | 69 | F | 6/36 | PL | SICS WITH IOL | LE | 6/18 | 6/9P |
| 242 | 10003 | 56 | M | PL | 6/9 | SICS WITH IOL | RE | PL | 1/60 |
| 243 | 1 0000 | 66 | M | 4/60 | CFC | SICS WITH IOL | LE | 6/24P | 6/12P |
| 244 | F8561 F8562 | 63 66 | M F | 4/60 | 4/60 6/24 | SICS WITH IOL SICS WITH IOL | LE RE | 6/24 6/60 | 6/9P 6/18P |
| 246 | DOFCO | 61 | F | | | SICS WITH IOL | LE | 6/12P | 6/ 18P |
| 247 | DOEC 4 | 63 | F | 6/24 3/60 | 2/60 6/18 | SICS WITH IOL | RE | 6/18 | 6/9P |
| 248 | | 65 | M | 6/12P | 5/60 | SICS WITH IOL | LE | 6/9P | 6/6P |
| 249 | 20566 | 61 | M | 2/60 | 6/24 | SICS WITH IOL | RE | 6/12 | 6/6P |
| 250 | | 66 | M | 6/24 | 3/60 | SICS WITH IOL | LE | 6/18 | 0/01 |
| 251 | F8568 | 61 | M | PL | 5/60 | SICS WITH IOL | RE | 6/24 | 6/12 |
| 252 | 20560 | 53 | M | 6/36 | 2/60 | SICS WITH IOL | LE | 6/9P | 6/6 |
| 253 | | 71 | M | 3/60 | PL | SICS WITH IOL | LE | 6/18P | 0/0 |
| 254 | | 81 | F | 6/36 | HM | SICS WITH IOL | LE | 6/12P | 6/9 |
| 255 | F8572 | 71 | M | 6/36 | 3/60 | SICS WITH IOL | LE | 6/24 | 6/9P |
| 256 | F8573 | 78 | M | 6/60 | 1/60 | SICS WITH IOL | LE | 5/60 | 6/24 |
| 257 | F8574 | 76 | M | 2/60 | 4/60 | SICS WITH IOL | RE | 6/36 | 6/12 |
| 258 | F8575 | 75 | M | 6/18 | PL | SICS WITH IOL | LE | 6/24 | |
| 259 | F8576 | 72 | M | 3/60 | 1/60 | SICS WITH IOL | LE | 6/36 | 6/12 |
| 260 | F8577 | 69 | M | 1/60 | 3/60 | SICS WITH IOL | RE | 6/9 | |
| 261 | F8578 | 77 | M | 1/60 | 6/60 | SICS WITH IOL | RE | 6/24 | 6/12 |
| 262 | 10015 | 61 | F | 2/60 | 1/60 | SICS WITH IOL | LE | 6/18 | |
| 263 | F8580 | 66 | M | 3/60 | 1/60 | SICS WITH IOL | LE | 6/18 | |
| 264 | F8581 | 71 | M | 1/60 | 1/60 | SICS WITH IOL | LE | 6/24P | 6/12 |
| 25TH DEC'14 265 | 10002 | 56 | F | HM | 4/60 | SICS WITH IOL | RE | 6/18 | 6/9 |
| 266 | F8583 | 58 | F | HM | 3/60 | SICS WITH IOL | LE | 6/12P | 6/6P |
| 267 | F8584 | 66 | F | 6/60 | PL | SICS WITH IOL | LE | 6/24 | 6/12P |
| 268 | 10000 | 81 | F | 1/60 | 2/60 | SICS WITH IOL | LE | 6/36 | |
| 269 | 10000 | 76 | F | 1/60 | 6/60 | SICS WITH IOL | RE | 6/18 | 6/9P |
| 270 | 1 0001 | 76 | F | 5/60 | 6/36P | SICS WITH IOL | RE | 6/18 | 6/9 |
| 271 | | 69 46 | F F | 2/60 | 2/60 HM | SICS WITH IOL SICS WITH IOL | LE RE | 6/18P | 6/9 |
| 273 | 20500 | | F | 6/36 1/60 | | | RE RE | 6/36 | 6/18 6/9P |
| 274 | | 69 71 | F | 6/36 | 1/60 1/60 | SICS WITH IOL SICS WITH IOL | LE | 6/24 6/12 | 0/9P |
| 275 | F8592 | 61 | F | 2/60 | 2/60 | SICS WITH IOL | RE | 6/18 | 6/9 |
| 276 | 70500 | 77 | F | 6/9 | 1/60 | SICS WITH IOL | LE | 6/9 | 6/6 |
| 277 | | 77 | M | 3/60 | 3/60 | SICS WITH IOL | RE | 6/18 | 6/9 |
| 278 | | 26 | M | 1/60 | HM | SICS WITH IOL | RE | 6/60 | 6/18 |
| 279 | F8596 | 73 | M | 5/60 | 5/60 | SICS WITH IOL | RE | 6/12 | 6/9 |
| 280 | F8597 | 71 | M | 4/60 | 1/60 | SICS WITH IOL | LE | 6/12P | 6/6P |
| 281 | F8598 | 61 | M | 6/18P | PL | SICS WITH IOL | LE | 6/18 | |
| 282 | F8599 | 61 | M | 5/60 | 6/18 | SICS WITH IOL | RE | 6/18 | |
| 283 | F8600 | 71 | M | 5/60 | PL | SICS WITH IOL | LE | 6/18 | |
| 284 | F8601 | 76 | M | 6/60 | 5/60 | SICS WITH IOL | LE | 6/12P | 6/9 |
| 27TH DEC'14 285 | F8602 | 79 | F | 2/60 | PL | SICS WITH IOL | RE | 6/18 | |
| 286 | F8603 | 76 | F | 3/60 | HM | SICS WITH IOL | LE | 6/18P | 6/9P |
| 287 | F8604 | 65 | F | 6/60 | 6/36 | SICS WITH IOL | RE | 6/12 | |
| 288 | 10000 | 60 | F | 6/18 | PL | SICS WITH IOL | LE | 6/12 | 6/6P |
| 289 | 10000 | 70 | F | 6/60 | 1/60 | SICS WITH IOL | LE | 6/12 | 6/9 |
| 290 | | 62 | F | 1/60 | 5/60 | SICS WITH IOL | RE | 6/12 | 6/9P |
| 291 | 10000 | 60 | F | 3/60 | 1/60 | SICS WITH IOL | LE | 6/36 | 6/12 |
| 292 | | 68 | F | PL | 4/60 | SICS WITH IOL | RE | 6/36 | 6/18 |
| 293 | F8610 | 70 | F | 6/60 | 6/60 | SICS WITH IOL | RE | 6/18P | CICD |
| 294 295 | 10011 | 78 70 | F F | 2/60 6/18P | E /60 | SICS WITH IOL SICS WITH IOL | RE | 6/12P | 6/6P |
| 296 | | 78 | F | 3/60 | 5/60 2/60 | SICS WITH IOL | LE LE | 6/18 6/24 | 6/9 6/12P |
| 297 | | 68 | F | 2/60 | 2/60 | SICS WITH IOL | LE | 6/18 | 0/121 |
| 298 | | 82 | F | 6/60 | 5/60 | SICS WITH IOL | LE | 6/24 | 6/12 |
| 299 | | 55 | F | 6/18P | PL | SICS WITH IOL | LE | 6/12 | 6/9P |
| 300 | D064# | 45 | F | PL | 6/12P | SICS WITH IOL | RE | 6/9 | 6/6 |
| 301 | | 68 | F | PL | 3/60 | SICS WITH IOL | RE | 6/12 | 6/9 |
| 1 201 1 | F8619 | 55 | F | 6/60 | PL | SICS WITH IOL | LE | 6/12 | 6/6P |
| 302 | F8620 | 70 | M | 6/18 | 1/60 | SICS WITH IOL | LE | 6/18 | · |
| | 1.0020 | 70 | M | PL | 5/60 | SICS WITH IOL | RE | 6/12P | 6/6P |
| 302 | | 70 | | | | | | | |
| 302 303 | F8621 | 80 | M | 6/18 | PL | SICS WITH IOL | LE | 6/18P | 6/9P |
| 302 303 304 | F8621 F8622 | + | _ | 6/18 2/60 | PL 1/60 | SICS WITH IOL SICS WITH IOL | LE LE | 6/18P 6/12 | 6/9P |
| 302 303 304 305 | F8621 F8622 F8623 | 80 | M | | | | | · · | 6/9P 1/60 |
| 302 | F8621 F8622 F8623 F8624 F8625 | 80 70 70 80 | M M M | 2/60 6/18P 1/60 | 1/60 1/60 4/60 | SICS WITH IOL SICS WITH IOL SICS WITH IOL | LE LE RE | 6/12 HM 6/18P | 1/60 |
| 302 | F8621 F8622 F8623 F8624 F8625 F8626 | 80 70 70 80 65 | M M M M M | 2/60 6/18P 1/60 6/60 | 1/60 1/60 4/60 PL | SICS WITH IOL SICS WITH IOL SICS WITH IOL | LE LE RE LE | 6/12 HM 6/18P 6/12 | 1/60 6/9 6/6P |
| 302 | F8621 F8622 F8623 F8624 F8625 F8626 F8626 | 80 70 70 80 | M M M | 2/60 6/18P 1/60 | 1/60 1/60 4/60 | SICS WITH IOL SICS WITH IOL SICS WITH IOL | LE LE RE | 6/12 HM 6/18P | 1/60 |

| [| 312 | F8629 | 60 | M | HM | 5/60 | SICS WITH IOL | RE | 6/12P | 6/6P |
|----------------|-----|-----------|----|---|-------|-------|---------------|----|-------|-------|
| | 313 | F8630 | 80 | M | 6/60 | 6/60 | SICS WITH IOL | LE | 6/18P | 6/9 |
| | 314 | F8631 | 75 | M | PL | 6/18P | SICS WITH IOL | RE | 6/24 | 6/9 |
| | 315 | F8632 | 70 | M | HM | HM | SICS WITH IOL | LE | 1/60 | 6/60 |
| | 316 | F8633 | 55 | F | 6/24P | PL | SICS WITH IOL | LE | 6/12 | , |
| | 317 | F8634 | 74 | F | 2/60 | 2/60 | SICS WITH IOL | LE | 6/60 | 6/18 |
| | 318 | F8635 | 70 | M | 1/60 | 6/24 | SICS WITH IOL | RE | 6/24 | 6/9 |
| | 319 | F8636 | 70 | F | PL | 6/36 | SICS WITH IOL | RE | 6/18 | , |
| | 320 | F8637 | 65 | M | 6/12P | 5/60 | SICS WITH IOL | LE | 6/12 | 6/9 |
| | 321 | F8638 | 68 | M | 6/18 | 2/60 | SICS WITH IOL | LE | 6/12 | 6/6P |
| | 322 | F8639 | 60 | M | 6/60 | 6/60 | SICS WITH IOL | RE | 6/12 | 6/9 |
| | 323 | F8640 | 60 | M | 3/60 | 3/60 | SICS WITH IOL | RE | 6/18 | 6/9P |
| | 324 | F8641 | 65 | F | 6/12P | 3/60 | SICS WITH IOL | LE | 6/18 | 6/6P |
| | 325 | F8642 | 65 | M | 5/60 | 2/60 | SICS WITH IOL | LE | 6/12 | , |
| | 326 | F8643 | 65 | M | 3/60 | 3/60 | SICS WITH IOL | LE | 6/18P | |
| | 327 | F8644 | 70 | F | 4/60 | 3/60 | SICS WITH IOL | LE | 6/18 | 6/9 |
| | 328 | F8645 | 50 | F | 1/60 | 2/60 | SICS WITH IOL | RE | 6/24 | 6/12 |
| 28TH DEC'14 | 329 | F8646 | 35 | F | 1/60 | 6/18P | SICS WITH IOL | RE | 6/18 | 6/9 |
| | 330 | F8647 | 63 | F | 1/60 | 5/60 | SICS WITH IOL | RE | 6/18 | 6/9 |
| | 331 | F8648 | 60 | F | PL | 6/60 | SICS WITH IOL | RE | 6/36 | 6/12P |
| | 332 | F8649 | 59 | F | PL | 6/36 | SICS WITH IOL | RE | 6/18 | |
| | 333 | F8650 | 65 | F | 6/24 | 5/60 | SICS WITH IOL | LE | 6/36 | 6/12 |
| | 334 | F8651 | 70 | F | 5/60 | 5/60 | SICS WITH IOL | LE | 6/24 | 6/9 |
| | 335 | F8652 | 65 | F | 2/60 | 6/18 | SICS WITH IOL | RE | 6/12 | 6/6 |
| | 336 | F8653 | 70 | F | 6/18 | 2/60 | SICS WITH IOL | LE | 6/24 | |
| | 337 | F8654 | 40 | F | | PL | SICS WITH IOL | LE | 6/36 | 6/12 |
| | 338 | F8655 | 60 | F | 1/60 | HM | SICS WITH IOL | LE | 6/24P | 6/9 |
| | 339 | F8656 | 60 | F | 4/60 | 5/60 | SICS WITH IOL | LE | 6/12 | |
| | 340 | F8657 | 75 | M | PL | 1/60 | SICS WITH IOL | RE | 6/36 | 6/12P |
| | 341 | F8658 | 80 | M | 3/60 | 3/60 | SICS WITH IOL | RE | 6/36 | 6/18P |
| | 342 | F8659 | 70 | M | 6/36 | 6/36 | SICS WITH IOL | LE | 6/9P | 6/6P |
| | 343 | F8660 | 70 | M | 4/60 | 5/60 | SICS WITH IOL | RE | 6/12P | |
| | 344 | F8661 | 60 | M | 6/36 | HM | SICS WITH IOL | LE | 6/24 | 6/12 |
| | 345 | F8662 | 65 | M | 6/60 | 3/60 | SICS WITH IOL | LE | 6/18 | 6/9 |
| | 346 | F8663 | 80 | M | PL | 1/60 | SICS WITH IOL | RE | 1/60 | 6/36 |
| | 347 | F8664 | 80 | M | 6/18 | 4/60 | SICS WITH IOL | LE | 6/18 | |
| | 348 | F8665 | 60 | F | 4/60 | 6/60 | SICS WITH IOL | RE | 6/24 | 6/12 |
| | 349 | F8666 | 75 | F | HM | 1/60 | SICS WITH IOL | RE | 6/36 | 6/18 |
| | 350 | F8667 | 69 | M | 1/60 | PL | SICS WITH IOL | RE | 6/18 | 6/9 |